

AMENDMENTS TO THE CLAIMS

This listing of claims reflects all claim amendments and replaces all prior versions and listings of claims in the application. Material to be inserted is in underline, and material to be deleted is in ~~strikeout~~ or (if the deletion is of five or fewer consecutive characters or would be difficult to see) in double brackets [[]].

Listing of Claims:

1. (Currently Amended) An apparatus for adjusting keystone comprising:
 - a first frame to pivot about a first axis;
 - a second frame pivotably mounted in the first frame to pivot about a second axis; and
 - a mirror moveably mounted in the second frame to reflect an image on a screen of a display device, the mirror adapted to pivot about the first axis via the first frame and pivot about the second axis via the second frame to adjust the image on the screen to enable user adjustable keystone correction of the image relative the screen.
2. (Original) The apparatus of claim 1, wherein the second axis is substantially perpendicular to the first axis.
3. (Original) The apparatus of claim 1, further comprising a first adjuster coupled to the first frame to adjust the angle of the pivot about the first axis.
4. (Original) The apparatus of claim 3, further comprising a second adjuster coupled to the second frame to adjust the angle of the pivot about the second axis.

5. (Original) The apparatus of claim 4, wherein the first adjuster and the second adjuster each comprise one or more screws.

6. (Previously presented) The apparatus of claim 5, wherein the first adjuster and the second adjuster further comprise a knob coupled to each screw to adjust the screw.

7. – 33. (Canceled)

34. (New) An apparatus for projecting an image on a screen, the apparatus comprising:
a first frame selectively pivotal about a first axis through a first adjuster;
a second frame selectively pivotal about a second axis through a second adjuster;
a mirror to reflect an image to the screen, the mirror moveably mounted to the second frame and adapted to pivot about the first axis and the second axis, wherein a user may selectively position the image on the screen through use of the first adjuster and the second adjuster.

35. (New) The apparatus of claim 34, wherein the second axis is substantially perpendicular to the first axis.

36. (New) The apparatus of claim 34, wherein the first frame is moveable relative the second frame.

37. (New) The apparatus of claim 34, wherein the first adjuster is configured to enable adjustment of the image upward about the first axis.

38. (New) The apparatus of claim 34, wherein the first adjuster is configured to enable adjustment of the image downward about the first axis.

39. (New) The apparatus of claim 34, wherein the second adjuster is configured to enable adjustment of the image to the right about the second axis.

40. (New) The apparatus of claim 34, wherein the second adjuster is configured to enable adjustment of the image to the left about the second axis.